

CelloTrack Power



CelloTrack Power



A black, rectangular CelloTrack Power device is shown resting on a wooden cradle. The device has a white label on top with some illegible text and a circular opening. A black cable is plugged into the right side of the device. A black zip tie is wrapped around the left side of the device, securing it to the wooden cradle. The background is a concrete surface with some pipes and a manhole cover.

**CelloTrack Power
secured with zip
ties to cradle**



THERMO KING

PL-1219



020



1993



A GE Cap Comp

Wiring the power supply for the CelloTrack Power





A MODERN GROUP COMPANY

1-800-231-8198

**CelloTrack power supply
from trailer connector**





FOLLAK

S1EJ500
JUN 58

U.S.A.

**Trailer connector:
Center pin = +12VDC
Top pin = GND**





Using 3M 4956 on cradle

A photograph of a white cylindrical tank mounted on a truck. A speech bubble with a black outline and white fill points to a small electrical panel on the side of the tank. The panel has three black connectors and some wiring. To the right of the tank is a red diamond-shaped hazard label with a flame icon and the number '1993'. To the left, a white trailer is visible with the number '020' on its side. The background shows a blue sky with white clouds and a street lamp.

CelloTrack placed here

020

1993









**CelloTrack placed
behind this wall**



**Cradle stuck using
3M 4956 double side tape**





DANGER

RELIEVE TANK PRESSURE BEFORE REMOVING COVER







CelloTrack
placed here

Securing CelloTrack to the cradle using zip ties











