



**POINTER**



Cellocator Division  
Pointer Telocation Ltd.

# COMPACT OLYMPIC CATALOG & ACCESSORIES



**[sales@pointer.com](mailto:sales@pointer.com)**



Cellocator Division  
Pointer Telocation Ltd.

## Compact Olympic Catalog & Accessories

NAME	DESCRIPTION	PICTURE	
<b>Compact Olympic EX63400843G</b>	The Cellocator™ Olympic is an innovative integrated fleet-management unit with superior location, tracking, event-driven reporting, logging, and security capabilities. Its uniquely compact size makes it ideal for covert installation to avoid detection and tampering. Utilizing an external modem for an IP communication over almost any communication platform (like GPRS, TETRA, ASTRO, CDMA 1X, iDEN, CDPD) together with GPS technology ensures inexpensive, yet reliable and fluent communications together with efficient remote vehicle tracking.		
<b>Complimentary Equipment</b>			
<b>Harness</b>			
NAME	DESCRIPTION	PART NUMBER	PICTURE
<b>Full Vehicle Harness</b>	The full wiring harness, used for an installation of the Compact unit in the vehicle	711-00060	
<b>Relay Set</b>	A standard automotive relay (P/N: 711-20000) with its socket (P/N: 711-20023). Designed to adapt between unit's output and a device in the vehicle (immobilizer, siren etc).	711-20000 711-20023	







## Compact Olympic Catalog & Accessories

NAME	DESCRIPTION	PART NUMBER	PICTURE
Fuse and Housing	Protective fuse (3Amp).	710-00001	
Distress Button	Push Button, used for connection to unit's input. Can serve as a distress button for example, or as a Voice call control button.	711-20001	
Cross Plug and Cable	DB9 (F) to DB9 (F) cross over plug (null modem), for connection of unit to COM port of PC using programming cable p/n 711-20078.	711-20055	
RJ45-DB9	RJ45 – DB9(m) programming cable to connect to a COM port of a PC. Needs cross plug p/n 711-20055 to work correctly.	711-00078	
<b>Accessories</b>			
Dallas Kit	Coded keys with matching receiver that enable immobilizations and driver-recognition applications for both security and fleet services. Includes 2 keys and one cradle/reader.	712-20015	



## Compact Olympic Catalog & Accessories

NAME	DESCRIPTION	PART NUMBER	PICTURE
<b>Back Up Batteries</b>			
<b>Backup Battery</b>	Rechargeable external 6v sealed lead acid backup battery, designed to supply power to the unit in case when the main battery of the vehicle is disconnected or completely drained. Typical capacity: 1.2 Ah.	711-20060	
<b>Field Trouble Shooting Tools</b>			
<b>Vehicle Simulator Device (Tester)</b>	This device simulates the basic activities that occur in a vehicle (like Door Open, Ignition On/Off and so on) and indicates the status of the vehicle's various devices (Siren, Blinkers and so on).	715-10010	
<b>Simulator Cable</b>	The wiring harness that connects the simulator device to the Cellocator unit. The harness provides an interface to every one of Cellocator unit's I/O and communication ports.	711-00101	
<b>KeyLok USB Dongle (Software protection key)</b>	KeyLok USB Dongle (Hardware Against Software Piracy) is a plug that connects to the testing computer's serial or USB port, protecting Cellocator's proprietary software and firmware against illicit use.	711-30015	






**POINTER**



Cellocator Division  
Pointer Telocation Ltd.

## Compact Olympic Catalog & Accessories

NAME	DESCRIPTION	PART NUMBER	PICTURE
<b>Pi Cable</b>	This 4 connector pi-shaped cable is designed for trouble shooting the terminal modem side.	711-00009	
<b>GPS Simulator Cable</b>	This cable is connected to the unit and the testing computer, and by means of the GPS simulator software (included) it emulates the activity of GPS navigation in a vehicle.	711-00051	
<b>USB to RS-232 Serial Adapter</b>	USB to RS-232 Serial Adapter allows data transfer from a USB port to a serial port whenever the computer does not have a conventional RS-232 9-pin serial port.	711-30016	




**POINTER**



Cellocator Division  
Pointer Telocation Ltd.

## Compact Olympic Catalog & Optional Accessories

NAME	DESCRIPTION	PART NUMBER	PICTURE
<b>Optional Accessories</b>			
<b>MDT860</b>	Mobile Data Terminal, allowing text messaging with the driver. The MDT includes wire harness and a flexible suction windscreen mount.	715-32000	
<b>BT Adaptor</b>	A Blue Tooth adaptor for unit's COM port, adding a BT interface to Cellocator unit.	K060-015	